


SPECIFICATION CONTROL DRAWING



DART PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	LENGTH "L" (INCHES)	MAX O.D. (INCHES)	MIN I.D. (INCHES)	WEIGHT (LBS)	SPECIFICATION	CONSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	COVER
D5373-1	OIL DRAIN LINE	STRATOFLEX	101005-4CL-0180	18	0.500	0.173	0.26	AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED, CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION-RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE
			ALT: 101005-4CR-0180								
D5373-3	OIL DRAIN LINE	STRATOFLEX	101005-4CL-0062	6.25	0.500	0.173	0.17	AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED, CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION-RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE
			ALT: 101005-4CR-0062								

- NOTES:
- 1) MATERIAL: PER TABLE
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N & B/N USING D2729 LABEL INSTALLED WITH D2182-045 HEAT SHRINK
 - 7) WEIGHT: SEE TABLE
 - 8) FOR ALTERNATE PART NUMBERS (101005-4CR-XXXX), DRILL LOCK-WIRE HOLES PER SHEET 6, DETAIL A


UNDER REVIEW
ECR: HB ECR 171

RELEASED
2017-09-19
Ecn 17-613

APPROVED

E	UPDATED D5373-3/7/9/11, ADDED SHT 3, 4 & 7	WK	17.09.11
D	ADDED D5373-7/9/11	WK	17.04.25
C	ADDED D5373-5	CC	16.12.01
B	ADDED NOTE 8 AND DETAIL A	CC	16.11.07
A	NEW ISSUE	CC	16.01.07
REV.	DESCRIPTION	BY	DATE
DESIGN	CC	DART AEROSPACE USA, INC EUGENE, OREGON, USA	
DRAWN	WK		
CHECKED	VS	DRAWING NO.	REV. E
MFG. APPR.	DD	D5373	SHEET 1 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	OIL DRAIN LINE	NTS
DATE	17.09.11	COPYRIGHT © 2016 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

SPECIFICATION CONTROL DRAWING



D5373-X - OIL DRAIN LINE

DART PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	LENGTH "L" (INCHES)	MAX O.D. (INCHES)	MIN I.D. (INCHES)	WEIGHT (LBS)	SPECIFICATION	CONSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	COVER
D5373-5	OIL DRAIN LINE	STRATOFLEX	101003-4CL-0080	8	0.500	0.173	0.17	AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED, CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION-RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE
			ALT: 101003-4CR-0080								

- NOTES:
- 1) MATERIAL: PER TABLE
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N & B/N USING D2729 LABEL INSTALLED WITH D2182-045 HEAT SHRINK
 - 7) WEIGHT: SEE TABLE
 - 8) FOR ALTERNATE PART NUMBERS (101003-4CR-XXXX), DRILL LOCK-WIRE HOLES PER SHEET 6, DETAIL A


UNDER REVIEW
ECR: HB ECR 171

RELEASED
2017-09-19

APPROVED

DESIGN	CC	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	WK		
CHECKED	VS	DRAWING NO.	REV. E
MFG. APPR.	DD	D5373	SHEET 2 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	OIL DRAIN LINE	NTS
DATE	17.09.11	COPYRIGHT © 2016 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			

SPECIFICATION CONTROL DRAWING



DART PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	LENGTH "L" (INCHES)	MAX O.D. (INCHES)	MIN I.D. (INCHES)	WEIGHT (LBS)	SPECIFICATION	CONSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	COVER
D5373-7	OIL DRAIN LINE	STRATOFLEX	101005-6CL-0150	15	0.615	0.298	0.35	AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED, CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION-RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE
			ALT: 101005-6CR-0150								

- NOTES:
- 1) MATERIAL: PER TABLE
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N & B/N USING D2729 LABEL INSTALLED WITH D2182-045 HEAT SHRINK
 - 7) WEIGHT: SEE TABLE
 - 8) FOR ALTERNATE PART NUMBERS (101005-6CR-XXXX), DRILL LOCK-WIRE HOLES PER SHEET 7, DETAIL D


UNDER REVIEW
ECR: HB ECR 171

RELEASED
2017 -09- 19

APPROVED

DESIGN	CC	DART AEROSPACE USA, INC EUGENE, OREGON, USA	
DRAWN	WK		
CHECKED	VS	DRAWING NO.	REV. E
MFG. APPR.	DD	D5373	SHEET 3 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	OIL DRAIN LINE	NTS
DATE	17.09.11	COPYRIGHT © 2016 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

SPECIFICATION CONTROL DRAWING



D5373-X - OIL DRAIN LINE

E	DART PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	LENGTH "L" (INCHES)	MAX O.D. (INCHES)	MIN I.D. (INCHES)	WEIGHT (LBS)	SPECIFICATION	CONSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	COVER
	D5373-9	OIL DRAIN LINE	STRATOFLEX	101062D0170CL270 ALT: 101062D0170CR270	17	0.615	0.298	0.41	AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED, CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION-RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

- NOTES:
- 1) MATERIAL: PER TABLE
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N & B/N USING D2729 LABEL INSTALLED WITH D2182-045 HEAT SHRINK
 - 7) WEIGHT: SEE TABLE
 - 8) FOR ALTERNATE PART NUMBERS (101062D0170CRXXX), DRILL LOCK-WIRE HOLES PER SHEET 7, DETAIL D


UNDER REVIEW
ECR: HB ECR 171

RELEASED
2017-09-19

APPROVED

DESIGN	CC	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	WK		
CHECKED	VS	DRAWING NO.	REV. E
MFG. APPR.	DD	D5373	SHEET 4 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	OIL DRAIN LINE	NTS
DATE	17.09.11	COPYRIGHT © 2016 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

SPECIFICATION CONTROL DRAWING



D5373-X - OIL DRAIN LINE

DART PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	LENGTH "L" (INCHES)	MAX O.D. (INCHES)	MIN I.D. (INCHES)	WEIGHT (LBS)	SPECIFICATION	CONSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	COVER
D5373-11	OIL DRAIN LINE	STRATOFLEX	101062B0160CL270	16	0.500	0.173	0.26	AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED, CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION-RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE
			ALT: 101062B0160CR270								



- NOTES:
- 1) MATERIAL: PER TABLE
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N & B/N USING D2729 LABEL INSTALLED WITH D2182-045 HEAT SHRINK
 - 7) WEIGHT: SEE TABLE
 - 8) FOR ALTERNATE PART NUMBERS (101062B0160CRXXX), DRILL LOCK-WIRE HOLES PER SHEET 6, DETAIL A

UNDER REVIEW
ECR: HB ECR 171

RELEASED
2017-09-19

APPROVED

DESIGN	CC	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	WK		
CHECKED	VS	DRAWING NO.	REV. E
MFG. APPR.	DD	D5373	SHEET 5 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	OIL DRAIN LINE	NTS
DATE	17.09.11	COPYRIGHT © 2016 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



SECTION B-B

DETAIL A - LOCKWIRE HOLES (TYPICAL FOR -4 FITTINGS)

UNDER REVIEW
ECR: HB ECR 171

RELEASED
2017-09-19

APPROVED

DESIGN	CC	DART AEROSPACE USA, INC.	
DRAWN	WK	EUGENE, OR, USA	
CHECKED	VS	DRAWING NO.	REV. E
MFG. APPR.	DD	D5373	SHEET 6 OF
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	OIL DRAIN LINE	NTS
DATE 17.09.11		COPYRIGHT © 2016 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

8

7

6



5

4

3

2

1



DETAIL D - LOCKWIRE HOLES (TYPICAL FOR -6 FITTINGS)

UNDER REVIEW
ECR: HB ECR 171

RELEASED
2017-09-19

APPROVED

DESIGN	CC	DART AEROSPACE USA, INC.	
DRAWN	WK	EUGENE, OR, USA	
CHECKED	VS	DRAWING NO.	REV. E
MFG. APPR.	DD	D5373	SHEET 7 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	OIL DRAIN LINE	NTS
DATE	17.09.11	COPYRIGHT © 2016 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT			